



Application Number

IDS Flag Clearance for Application

**IDS  
Information**

Content	Mailroom Date	Entry Number	IDS Review	Reviewer
<input type="button" value="UPDATE"/>				

*no date*

## Searches for User *gverbitsky* (Count = 34323)

Queries 34274 through 34323.

Find	<input type="text"/>
First	Prev
Next	Oldest
Edit	Help
Return	

S #	Updt	Database
<u>S34323</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD(374/117-119.ccls. ) and (temperature os
<u>S34322</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD(374/117-119.ccls. and (ring oscillator oi
<u>S34321</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD(374/117-119.ccls. ) and (ring oscillator
<u>S34320</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/117-119.ccls.
<u>S34319</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/117-119
<u>S34318</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/117,118,119
<u>S34317</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB ((374/1,170,171,163;702/99,130,133,132 [CCLS] ) and (ring oscillator)
<u>S34316</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB (374/1,170,171,163;702/99,130,133,132; [CCLS]
<u>S34315</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD((ring oscillator) same (temperature) and RF)
<u>S34314</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD((ring oscillator) same (temperature) and
<u>S34313</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD((ring oscillator) same (temperature) ) an
<u>S34312</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD(ring oscillator) same (temperature)

S34311 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD(radio frequency temperature sensor ) an

S34310 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD radio frequency temperature sensor

S34309 U PGPB,USPT,USOC,EPAB,JPAB ((374/208,100,147,148,29,138,135;73/86  
(ambient or environment\$2 or enclosure

S34308 U PGPB,USPT,USOC,EPAB,JPAB ((374/208,100,147,148,29,138,135;73/86  
(temperature sensor or probe or thermal

S34307 U PGPB,USPT,USOC,EPAB,JPAB ((374/208,100,147,148,29,138,135;73/86

S34306 U PGPB,USPT,USOC,EPAB,JPAB (374/208,100,147,148,29,138,135;73/86

S34305 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 28172

---

S34304 U USPT 28172.pn.

S34303 U USPT re28172.pn.

S34302 U USPT 2410098.pn.

S34301 U USPT 3559486.pn.

S34300 U USPT 4464066.pn.

S34299 U USPT 5996357.pn.

S34298 U USPT (5022766.pn. ) and (thread\$4)

S34297 U USPT 5022766.pn.

S34296 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD(374/\$.ccls. ) and (threadably connected

update

## Freeform Search

**Database:** US Pre-Grant Publication Full-Text Database  
US Patents Full-Text Database  
US OCR Full-Text Database  
EPO Abstracts Database  
JPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

**Term:** L40 and (ring oscillator)

**Display:** 10 Documents in **Display Format:** - Starting with Number 1

**Generate:** ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search
Clear
Interrupt

## Search History

**DATE:** Tuesday, August 23, 2005   [Printable Copy](#)   [Create Case](#)

<u>Set</u> <u>Name Query</u> side by side	<u>Hi</u> <u>Cou</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ</i>	
<u>L41</u> L40 and (ring oscillator)	
<u>L40</u> (374/1,170,171,163;702/99,130,133,132;716/4,331/57;327/512,513;377/25,19;340/870.17)![CCLS]	84
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<u>L39</u> L38 and (radio frequency or RF)	
<u>L38</u> L37 and (counter)	2
<u>L37</u> L36 and (memory)	3
<u>L36</u> (ring oscillator) same (temperature)	7
<u>L35</u> L34 and (ring oscillator)	
<u>L34</u> radio frequency temperature sensor	
<i>DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ</i>	
<u>L33</u> L31 and (ambient or environment\$2 or enclosure temperature or container temperature)	2
<u>L32</u> L31 and (temperature sensor or probe or thermal or detector)	3
<u>L31</u> L30 and (air flow or fluid flow)	4
<u>L30</u> (374/208,100,147,148,29,138,135;73/866.5)![CCLS]	38